

www.valleywaterdistrict.com

Annual Drinking Water Quality Report View Royal Water System 2019

Este informe contiene informacion muy importante sobre la calidad de su agua potable. Por favor lea este informe o comuniquese con alguien que pueda traducir la informacion.



We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. We are committed to providing you with information because informed customers are our best allies.



At Valley Water District we vigilantly safeguard and routinely monitor your drinking water. <u>This report</u> is a snapshot of water quality monitoring for the period of January through December 2019. We are proud to report that this system has not violated a maximum contaminant level or any other water quality standard.



The water source for this system is a 368 foot deep well capable of pumping 400 gallons per minute. While the District strives to provide safe drinking water, it is important that you also take steps to protect your water supply. **Other Source Results:** Valley Water District utilizes an intertie with Tacoma Water on the View Royal Water System. This intertie provides supplemental water to the District's system during times of high water demand, power outages, and during fire flow conditions. <u>The ending page of this report contains the water quality monitoring information provided to Valley Water District by Tacoma Water</u>.



Employing water conservation strategies, taking steps to minimize the use of pesticides and fertilizers, and disposing of household chemicals properly are all ways that you can do your part to impact the quality of your drinking water. Please visit our office or log on to our website for great water saving tips and related information.



Read this report at your leisure. It is designed to help you understand how we continually strive to protect water resources, improve the water treatment process, and provide you with safe, dependable drinking water.

How can I get involved?

We want our valued customers to be informed about their water utility. If you would like to learn more, please attend any regularly scheduled Board Meeting held at the District Office on the first and third Tuesday of each month, at 7:00 p.m.

If you have questions about the information in this report or any concern regarding water quality and the services we deliver every day, please contact the District office at 253-841-9698.

Sean Vance, District Manager ~ Brian Thompson, Field Supervisor ~ Email: <u>service@valleywaterdistrict.com</u>

Why are there contaminants in my drinking water?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity such as the following:

Microbial Contaminants, such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants, such as salts and metals, can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic Chemical Contaminants, including synthetic and volatile organic chemicals are by-products of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants can be naturally occurring or be the result of oil and gas production and mining activities.

Do I need to take special precautions?

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline at 800-426-4791.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline at 800-426-4791.

Visit www.wateruseitwisely.com for great water saving tips!

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels.

Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

2019 ~ View Royal Water System ~ 2019

	MCLG or	MCL, TT, or	Your	Range		Sample				
Contaminants	MRDLG		1	Low	High	Date	Violation	Typical Source		
Disinfectants & Disinfection By-Products										
(There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants)										
Haloacetic Acids (HAA5) (ppb)	NA	60	3.33	3.4	4.2	2019	No	By-product of drinking water chlorination		
TTHMs [Total Trihalomethanes] (ppb)	NA	80	7.28	4.5	5.7	2019	No	By-product of drinking water disinfection		
Inorganic Contaminant	ts		L	1						
Antimony (ppb)	6	6	3	NA		2012	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.		
Arsenic (ppb)	0	10	10.7	3.2	10.7	2019	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes		
Barium (ppm)	2	2	.01	NA		2012	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits		
Beryllium (ppb)	4	4	.3	NA		2012	No	Discharge from metal refineries and coal- burning factories; Discharge from electrical, aerospace, and defense industries		
Cadmium (ppb)	5	5	.1	NA		2012	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints		
Chromium (ppb)	100	100	7	NA		2012	No	Discharge from steel and pulp mills; Erosion of natural deposits		
Cyanide (ppb)	200	200	10	NA		2012	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories		
Fluoride (ppm)	4	4	.2	NA		2012	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories		
Iron (mg/L)	.3	.3	.1	NA		2018	No	Iron is naturally occurring.		
Manganese (mg/L)	.05	.05	.01	NA		2018	No	Manganese is a naturally occurring mineral that is present in soils, rocks, and sediment.		
Mercury [Inorganic] (ppb)	2	2	.2	NA		2012	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland		
Nitrate [measured as Nitrogen] (ppm)	10	10	.2	NA		2019	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits		
Nitrite [measured as Nitrogen] (ppm)	1	1	.2	NA		2017	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits		
Selenium (ppb)	50	50	2	NA		2012	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines		
Sodium (optional) (ppm)	NA		14	NA		2012	No	Erosion of natural deposits; Leaching		

	MCL or	G MC		Your	Range		Sample						
Contaminants		G MRI			Low	High	-	Violat	ion		Typical Source		
Thallium (ppb)	.5	2		1	NA		2012	No		Discharge from electronics, glass, and Leac from ore-processing sites; drug factories			
Radioactive Contamin	ants	1							<u> </u>				
Alpha emitters (pCi/L)	0	15		0	NA	NA	2015	No		Erosion of natural deposits			
Radium (combined 226/228) (pCi/L)	0	5		0	NA	NA	2015	No		Erosion of natural deposits			
Contaminants		MCLG	AI		· San r Da	nple ate	# Sampl Exceedin AL		xcee AL				
Inorganic Contaminan	its		1							I			
Copper - action level at consumer taps (ppm)			1.3	.1	20	017	0	No			Corrosion of household plumbing systems; Erosion of natural deposits		
Lead - action level at co taps (ppb)	nsumer	0	15	2	20	017	0		No	Corrosion of household plumbing systems; Erosion of natural deposits			
of .7 parts per billion. The samples in the months before and after August were well within the acceptable range for arsenic. The filtration system was evaluated to determine the cause of the exceedance. The filter process and backwash reclaim cycles were adjusted. The District also contracted with an engineering firm to evaluate the overall treatment operation to find long term solutions to ensure that the system continues to operate as designed. Important Drinking Water Definitions													
Term	Definitio	n		Definition									
	Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a												
MCI	water system must follow. Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close								xceed	led, t	riggers treatment or other requirements which a		
		n Contam	foll inar	ow. it Level:	The hi	ghest l	evel of a c	ontamin	ant th	nat is			
	to the MO Maximur	n Contam CLGs as f n Contan	foll inar easi	ow. It Level: ble using It Level	The hi g the bo Goal:	ighest l est ava The le	evel of a co ilable treat evel of a c	ontamin ment teo ontamir	ant th chnol	nat is logy.			
MCLO	to the MO Maximur expected	n Contam CLGs as f n Contan risk to he	foll inar easi ninar alth	ow. at Level: ble using at Level MCLG	The hi g the bo Goal: s allow	ghest l est ava The lo	evel of a contract ilable treat evel of a contract margin of	ontamin ment teo ontamin safety.	ant th chnol ant i	nat is logy. n dri	allowed in drinking water. MCLs are set as close		
MRDL	to the MO Maximum expected Maximum evidence	n Contam CLGs as f n Contan risk to he n Residua that addit	foll inar easil ninar alth al Di tion	ow. It Level: ble using It Level MCLG sinfectan of a disin	The hi g the bo Goal: s allow nt Leve nfectar	ighest l est ava The lo v for a el: The nt is ne	evel of a contract of a contra	ontamin ment teo ontamir safety. vel of a o	ant th chnol ant in disinf	nat is logy. n dri fectar nicrol	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing pial contaminants.		
MRDL MRDLG	to the MC Maximum expected Maximum evidence Maximum	n Contam CLGs as f n Contan risk to he n Residua that addit n Residua ted risk	foll inar easi ninar alth al Di tion	ow. It Level: ble using It Level MCLG sinfectar of a disin sinfection	The hi g the bo Goal: s allow nt Leve nfectar	ghest l est ava The lo v for a el: The nt is ne el Goa	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve	ontamin ment teo ontamir safety. vel of a o control	ant th chnol ant i disinf of m rinkii	nat is logy. n dri fectar nicrol ng wa	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing		
MRDL MRDLG	to the MC Maximum expected Maximum evidence Maximum or expec	n Contam CLGs as f n Contam risk to he n Residua that addit n Residua ted risk ants.	foll inar inar inar alth al Di tion al Di to h	ow. It Level: ble using It Level MCLG sinfectar of a disin isinfection ealth. N	The hi g the bo Goal: s allow nt Leve nfectar	ghest l est ava The lo v for a el: The nt is ne el Goa	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve	ontamin ment teo ontamir safety. vel of a o control	ant th chnol ant i disinf of m rinkii	nat is logy. n dri fectar nicrol ng wa	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing pial contaminants. ater disinfectant below which there is no known		
MRDL MRDLG MNR	to the MG Maximum expected Maximum evidence Maximum or expec contamin	n Contam CLGs as f n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Rep	foll inar easil inar alth al Di to h gula	ow. It Level: ble using It Level MCLG sinfectar of a disin sinfection ealth. M ted	The hi g the bo Goal: s allow nt Leve nfectar on Lev IRDLO	ighest l est ava The lo v for a el: The el Goa Gs do	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve not reflec	ontamin ment teo ontamir safety. vel of a o control	ant th chnol ant i disinf of m rinkii	nat is logy. n dri fectar nicrol ng wa	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing pial contaminants. ater disinfectant below which there is no known		
MRDLG MRDLG MNR MPL TT	to the MG Maximum expected Maximum or evidence Maximum or expec contamin Monitore State Ass	n Contam CLGs as f n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Re igned Ma	foll inar easil inar ealth al Di to h gula	ow. It Level: <u>ble using</u> It Level <u>MCLG</u> sinfectar of a disinisinfection ealth. M ted um Perm	The hi g the bo Goal: s allow nt Leven fectar on Lev (RDLC	ighest l est ava The lo v for a el: The el Goa Gs do e Leve	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve not reflec	ontamin ment te ontamin safety. vel of a d control el of a d t the b	ant th chnol ant i disinf of m rinkii enefi	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing pial contaminants. ater disinfectant below which there is no known		
MRDL MRDLG MNR MPL TT Variances &	to the MG Maximun expected Maximun or expec contamin Monitore State Ass Treatmer	n Contam <u>CLGs as f</u> n Contan risk to he n Residua that addin n Residua ted risk ants. d Not Rep igned Ma t Technic	foll inar easil ninar ealth hl Di tion hl Di to h gula uxim	ow. It Level: ble using of Level. MCLG sinfectar of a disin isinfection ealth. M ted um Perm A requir	The hi g the bo Goal: s allow nt Leve nfectar on Lev (RDLC) nissible ed pro	ighest l est ava The lo v for a el: The el Goa Gs do e Leve cess in	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve not reflec l tended to n	ontamin ment ter ontamir safety. vel of a d c control el of a d t the b	ant th chnol ant in disinf of m rinkin enefit	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing pial contaminants. ater disinfectant below which there is no known the use of disinfectants to control microbial		
MRDL MRDLG MRDLG MNR MPL TT Variances & Exemptions Unit Descriptions	to the MG Maximur expected Maximur or expec contamin Monitore State Ass Treatmer State or H	n Contam CLGs as f n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Re igned Ma t Technic CPA perm	foll inar easil ninar ealth hl Di tion hl Di to h gula uxim	ow. It Level: ble using of Level. MCLG sinfectar of a disin isinfection ealth. M ted um Perm A requir	The hi g the bo Goal: s allow nt Leve nfectar on Lev (RDLC) nissible ed pro	ighest l est ava The lo v for a el: The el Goa Gs do e Leve cess in	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve not reflec l tended to n	ontamin ment ter ontamir safety. vel of a d c control el of a d t the b	ant th chnol ant in disinf of m rinkin enefit	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing bial contaminants. ater disinfectant below which there is no known the use of disinfectants to control microbial		
MRDL MRDLG MRDLG MNR MPL TT Variances & Exemptions Unit Descriptions Term	to the MG Maximum expected Maximum or expect contamine Monitore State Ass Treatment State or H Definitio	n Contam <u>CLGs as f</u> n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Reg igned Ma t Technic <u>CPA perm</u>	foll iinar iinar ialth il Di tion al Di to h gula xim jue:	ow. It Level: <u>ble using</u> It Level <u>MCLG</u> sinfectar of a disin factor isinfection ealth. M ted um Perm A requir on not to	The hi g the bo Goal: s allow nt Leven nfectar on Lev ARDLO nissible ed pro meet a	ighest l est ava The le v for a el: The el Goa Gs do e Leve cess in an MC	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve not reflec l tended to n	ontamin ment ter ontamir safety. vel of a d c control el of a d t the b	ant th chnol ant in disinf of m rinkin enefit	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing bial contaminants. ater disinfectant below which there is no known the use of disinfectants to control microbial		
MRDL MRDLG MRDLG MNR MPL TT Variances & Exemptions Unit Descriptions Term ppb	to the MG Maximum expected Maximum or expect contamin Monitore State Asse Treatmer State or H Definition parts per	n Contam CLGs as f n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Re igned Ma t Technic CPA perm n billion, o	foll inar easil inaa alth il Di tion al Di to h gula xim que: issio	ow. It Level: ble using It Level: MCLG sinfectar of a disir isinfectic ealth. M ted um Perm A requir on not to crograme	The hi g the bo Goal: s allow nt Leve nfectar on Lev IRDLO nissiblo red pro meet a	ighest l est ava The lo v for a el: The el Goa Gs do e Leve cess in an MC	evel of a c ilable treat evel of a c margin of highest leve cessary for l: The leve not reflec l tended to n L or a trea	ontamin ment ter ontamir safety. vel of a d c control el of a d t the b	ant th chnol ant in disinf of m rinkin enefit	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing bial contaminants. ater disinfectant below which there is no known the use of disinfectants to control microbial		
MRDL MRDLG MRDLG MNR MNR MPL TT Variances & Exemptions Unit Descriptions Term ppb ppm 1	to the MG Maximum expected Maximum or expect contamine Monitore State Ass Treatment State or H Definition parts per parts per	n Contam <u>CLGs as f</u> n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Re- igned Ma t Technic <u>CPA perm</u> n billion, o million, o	foll iinar iinar inar ialth il Di tion al Di to h gula issio iissio r mio	ow. It Level: ble using It Level. MCLG sinfectar of a disinisinfection ealth. M ted um Pern A requir on not to crograms illigrams	The hi g the bo Goal: s allow at Leve nfectar on Lev fRDLO ed pro meet a s per lit	ighest l est ava The le v for a el: The el Goa Gs do e Leve cess in an MC ter (µg ter (µg	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve not reflec l tended to r L or a trea	ontamin ment ter ontamir safety. vel of a d c control el of a d t the b	ant th chnol ant in disinf of m rinkin enefit	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing bial contaminants. ater disinfectant below which there is no known the use of disinfectants to control microbial		
MRDL MRDLG MRDLG MNR MPL TT Variances & Exemptions Unit Descriptions Term ppb ppm pCi/L	to the MG Maximum expected Maximum or expect contamin Monitore State Ass Treatmer State or I Definition parts per pCi/L: pi	n Contam CLGs as f n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Residua t Technic CPA perm n billion, or million, or	foll iinar iinar inar ialth il Di tion al Di to h gula issio iissio r mio	ow. It Level: ble using It Level. MCLG sinfectar of a disinisinfection ealth. M ted um Pern A requir on not to crograms illigrams	The hi g the bo Goal: s allow at Leve nfectar on Lev fRDLO ed pro meet a s per lit	ighest l est ava The le v for a el: The el Goa Gs do e Leve cess in an MC ter (µg ter (µg	evel of a c ilable treat evel of a c margin of highest leve cessary for l: The leve not reflec l tended to n L or a trea	ontamin ment ter ontamir safety. vel of a d c control el of a d t the b	ant th chnol ant in disinf of m rinkin enefit	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing bial contaminants. ater disinfectant below which there is no known the use of disinfectants to control microbial		
MRDLG MRDLG MRDLG MNR MPL TT Variances & Exemptions Unit Descriptions Term ppb ppm pCi/L NA	to the MG Maximum expected Maximum or expect contamine Monitore State Ass Treatment State or H Definition parts per parts per	n Contam CLGs as f n Contan risk to he n Residua that addit n Residua ted risk ants. d Not Rej igned Ma t Technic CPA perm n billion, o million, o cocuries p cable	foll iinar iinar inar ialth il Di tion al Di to h gula issio iissio r mio	ow. It Level: ble using It Level. MCLG sinfectar of a disinisinfection ealth. M ted um Pern A requir on not to crograms illigrams	The hi g the bo Goal: s allow at Leve nfectar on Lev fRDLO ed pro meet a s per lit	ighest l est ava The le v for a el: The el Goa Gs do e Leve cess in an MC ter (µg ter (µg	evel of a c ilable treat evel of a c margin of highest lev cessary for l: The leve not reflec l tended to r L or a trea	ontamin ment ter ontamir safety. vel of a d c control el of a d t the b	ant th chnol ant in disinf of m rinkin enefit	nat is logy. n dri fectar nicrol ng wa ts of	allowed in drinking water. MCLs are set as close nking water below which there is no known or nt allowed in drinking water. There is convincing bial contaminants. ater disinfectant below which there is no known the use of disinfectants to control microbial		

2019 Tacoma Water Quality Results

Constituent	Highest Level Allowed (MCL)	Highest Level Detected	Ideal Goals (MCLG)	Range of level Detected or # exceed AL	Regulation Met?	Potential Sources of Contaminant				
REGULATED AT THE GROUNDWATER SOURCES										
Arsenic	10 ppb	6 ppb	0	0 - 6 ppb	Yes	Natural erosion				
Nitrate	10 ppm	4.95 ppm	10 ppm	0 – 4.95 ppm	Yes	Agricultural uses; septic				
Trichloroethylene	5 ppb	.99 ppb	0	0 – .99 ppb	Yes	Industrial contamination				
UNREGULATED AT THE GROUNDWATER SOURCES										
Chloroform	not regulated	0.77 ppb	not regulated	0 – 0.77 ppb Average 0.228	not regulated	Industrial contamination				
REGULATED AT THE TREATMENT PLANT										
Fluoride	4 ppm	.97 ppm	4 ppm	0.12 – .97 ppm	Yes	Treatment additive				
Turbidity	1 NTU	.047 NTU	not applicable	0.020 – .047 NTU	Yes	Soil erosion				
REGULATED IN THE DIS	STRIBUTION SYS	ТЕМ								
Disinfection Byproducts	Highest running annual average allowed	Our running annual average	MCLG	Range of Level Detected	Regulation Met?	Potential Sources of Contaminant				
Total Trihalomethane	80 ppb average	12.8 ppb average	not applicable	7.3 –26 ppb	Yes	Disinfection interaction				
Haloacetic Acid	60 ppb average	6.6 ppb average	not applicable	3.1-10 ppb	Yes	Disinfection interaction				
Bromate	10 ppb	0	0	0	Yes	Disinfection interaction				
Chlorine Residual	4 ppm	NA	4 (MRDLG)	0.2-1.84ppm	Yes	Treatment additive				
Total Coliform	< 5% positive	0.000%	0	0 of 2228 sites	Yes	Sampling technique				

REGULATED AT THE CONSUMERS TAP

Lead and Copper: Sampled last in 2019 Required every 3 years	below Action	90% of taps sampled were at or below this level	MCLG			Potential Sources of Contaminant
Lead	15 ppb (AL)	ND	0	0 of 51 sites	Yes	Household plumbing
Copper	1.3ppm (AL)	ND	1.3 ppm	0 of 51 sites	Yes	Household plumbing

Definitions

MCL- Maximum Contaminant Level: The highest level of a contaminant that allowed in drinking water. MCL's are set as close to MCLG's as feasible using the best available technology.

MCGL- Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for margin of safety.

ppm = Part Per Million

ppb = Part Per Billion

NTU – Nephelometric Turbidity Unit is a standard to measure water clarity.

AL - Action Level is the concentration which, if exceeded, triggers treatment or other requirements which a water system must follow. Action Levels are reported at the 90th percentile for homes at greatest risk.

MRL- Minimum Reporting Level, also known as the Method Reporting Limit: The smallest amount of a substance that can be reliably quantitated in sample.

ND = Not Detected – This compound was analyzed and not detected at a level greater than or equal to the State Detection Reporting Level.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. View Royal is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. View Royal is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Additional Information for Arsenic

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.